Genomeditech (Shanghai) Co.,Ltd. Order: 021-68455258/50432826/50432825

Toll-free: 400 627 9288

Email: service@genomeditech.com

## Anti-H\_CD40L hlgG1 Antibody(frexalimab)

## **Product information**

GM-83978AB-10 10 μg GM-83978AB-100 100 μg GM-83978AB-1000 1 mg

## **Antibody Information**

Species Reactivity Human; Cynomolgus

Clone frexalimab

Source/Isotype Monoclonal human IgG1/k
Application Flow cytometry; Block assay

Specificity Detects CD40L

Gene CD40L

Other Names CD40LG,CD154,CD40L,HIGM1,IGM,IMD3,T-

BAM, TNFSF5, TRAP, gp39.

Gene ID 959 (human); G7Q1T4 (cynomolgus)

Background CD40 ligand (CD40LG) is a type II transmembrane glycoprotein

belonging to the TNF superfamily. Initially discovered on the surface of CD4+ T cells following T cell receptor activation, CD40LG exists in both membrane-bound and soluble trimeric forms. CD40LG serves as the ligand for CD40, and its binding initiates signal transduction in cells expressing CD40LG. CD40LG is a differentiation antigen expressed on the surface of T cells. In the presence of cytokines, it stimulates B cell proliferation and the secretion of all immunoglobulin isotypes. CD40LG has been shown to induce cytokine production and tumor cell killing. It is also known by the aliases CD154, HIGM1, IGM, IMD3, T-BAM,

TNFSF5, TRAP, and gp39.

Storage Store at 2-8°C short term (1-2 weeks). Store at ≤ -20°C long term. Avoid

repeated freeze-thaw.

Formulation Phosphate-buffered solution, pH 7.2.

Endotoxin < 1 EU/mg, determined by LAL gel clotting assay

Version:3.2 Revision Date:03/25/2024

Genomeditech (Shanghai) Co.,Ltd. Order: 021-68455258/50432826/50432825


Toll-free: 400 627 9288

Email: service@genomeditech.com

## **Data Examples**

Flow cytometry

H\_CD40L HEK-293 Cell Line (Catalog # GM-C35531) was stained with Anti-H\_CD40L hIgG1 Antibody(frexalimab) (Catalog # GM-83978AB) or isotype control antibody, followed by anti-Human IgG APC-conjugated Secondary Antibody .




SampleID	Geometric Mean : FL11-H
HEK-293 anti-CD40L+APC-2nd Ab	531
HEK-293 H_CD40L H_IgG+APC-2nd Ab	545
HEK-293 H_CD40L anti-CD40L+APC-2nd Ab	4.52E5

Fig. FACS

Flow cytometry

Cynomolgus\_CD40L CHO-K1 Cell Line (Catalog # GM-C35533) was stained with Anti-H\_CD40L hlgG1 Antibody(frexalimab) (Catalog # GM-83978AB) or isotype control antibody, followed by anti-Human lgG APC-conjugated Secondary Antibody .



SampleID	Geometric Mean : FL11-H
CHO-K1 anti-CD40L+APC-2nd Ab	467
CHO-K1 Cyno_CD40L H_IgG+APC-2nd Ab	911
CHO-K1 Cyno_CD40L anti-CD40L+APC-2nd Ab	4.36E5

Fig. FACS



Genomeditech (Shanghai) Co.,Ltd. Order: 021-68455258/50432826/50432825

Toll-free: 400 627 9288

Email: service@genomeditech.com

Block assay

Anti-H\_CD40L hlgG1 Antibody(frexalimab) (Catalog # GM-83978AB) inhibits H\_CD40(TNFRSF5) Reporter Jurkat Cell Line (Catalog # GM-C09520) Luminescence induced by Human CD40L Protein; His Tag(Catalog # GM-84919RP). IC50 for this effect is 0.1217 µg/mL.

